






IWUS RO 22 GPM
GBE W/PRE-FILTER





IWUS RO 22 GPM GBE
W/ANTI-SCALANT AND
FAST FUSH


| REVISION DESCRIPTION | | DCO# | BY | DATE |
|---|--------|---|--|----------------|
| | | + | - | - |
|  www.Culligan.com | | The 3-D file for this item is the controlling document, from which all component and feature dimensions should be referenced and held, excluding threads. The intent of this drawing is to identify critical dimensions and tolerances for inspection. | | |
| | | All information contained on this document is the property of, and proprietary to Culligan International. The design concepts and information contained herein are submitted in confidence, and may not be disclosed, reproduced, loaned, or used in any other manner without the expressed, written consent of Culligan International. | | |
| MATERIAL | SIZE | DRAWN BY | TOLERANCES, UNLESS OTHERWISE SPECIFIED | |
| Material <not specified> | B | MKM | LAST DIGIT | TOLERANCE |
| | SCALE | APPROVED BY | (inches) | (millimeters) |
| | 1:26 | - | 0.0 | ± 0.030 ± 0.76 |
| | SHEET | APPROVED DATE | 0.0 | ± 0.015 ± 0.38 |
| | 1 OF 1 | - | 0.00 | ± 0.010 ± 0.25 |
| | | | 0.000 | ± 0.005 ± 0.13 |
| | | | ANGULAR | ± 0.5° ± 0.5° |
| PART DESCRIPTION | | PART NUMBER | | REV |
| IWUS RO 22 GPM | | - | | + |





IWUS RO 35 GPM
GBE W/PRE-FILTER





IWUS RO 35 GPM GBE
W/ANTI-SCALANT AND
FAST FUSH

| REVISION DESCRIPTION | DCO# | BY | DATE |
|---|-----------------|--------------------|---|
| Release for Production | + | - | - |
|  www.Culligan.com <small>The 3-D file for this item is the controlling document, from which all component and feature dimensions should be referenced and held, excluding threads. The intent of this drawing is to identify critical dimensions and tolerances for inspection. All information contained on this document is the property of, and proprietary to Culligan International. The design concepts and information contained herein are submitted in confidence, and may not be disclosed, reproduced, loaned, or used in any other manner without the expressed, written consent of Culligan International.</small> | | | |
| MATERIAL Material <not specified> | SIZE B | DRAWN BY MKM | TOLERANCES, UNLESS OTHERWISE SPECIFIED |
| | SCALE 1:26 | APPROVED BY - | LAST DIGIT TOLERANCE (inches) (millimeters) |
| | SHEET 1 OF 1 | APPROVED DATE - | 0. ± 0.030 ± 0.76 0.0 ± 0.015 ± 0.38 0.00 ± 0.010 ± 0.25 0.000 ± 0.005 ± 0.13 ANGULAR ± 0.5° ± 0.5° |
| PART DESCRIPTION | PART NUMBER | | REV |
| IWUS RO 35 GPM | - | | + |




IWUS RO 50 GPM
GBE W/PRE-FILTER





IWUS RO 50 GPM GBE
W/ANTI-SCALANT AND
FAST FUSH

| REVISION DESCRIPTION | DCO# | BY | DATE |
|--|------------------|--------------------|--|
| Release for Production | + | - | - |
| <p>Culligan www.Culligan.com</p> <p>The 3-D file for this item is the controlling document, from which all component and feature dimensions should be referenced and held, excluding threads. The intent of this drawing is to identify critical dimensions and tolerances for inspection.</p> <p>All information contained on this document is the property of, and proprietary to Culligan International. The design concepts and information contained herein are submitted in confidence, and may not be disclosed, reproduced, loaned, or used in any other manner without the expressed, written consent of Culligan International.</p> | | | |
| MATERIAL Material <not specified> | SIZE B | DRAWN BY MKM | TOLERANCES, UNLESS OTHERWISE SPECIFIED LAST DIGIT TOLERANCE (inches) (millimeters) 0.0 ± 0.030 ± 0.76 0.0 ± 0.015 ± 0.38 0.00 ± 0.010 ± 0.25 0.000 ± 0.005 ± 0.13 ANGULAR ± 0.5° ± 0.5° |
| | SCALE 1:26 | APPROVED BY - | |
| | SHEET 1 OF 1 | APPROVED DATE - | |
| PART DESCRIPTION IWUS RO 50 GPM | PART NUMBER - | REV + | |





IWUS RO 70 GPM GBE
W/ANTI-SCALANT AND
FAST FUSH





IWUS RO 70 GPM
GBE W/PRE-FILTER

| REVISION DESCRIPTION | DCO# | BY | DATE |
|--|------------------------|---------------------------|---|
| | + | - | - |
| <p>Culligan www.Culligan.com</p> <p>The 3-D file for this item is the controlling document, from which all component and feature dimensions should be referenced and held, excluding threads. The intent of this drawing is to identify critical dimensions and tolerances for inspection.</p> <p>All information contained on this document is the property of, and proprietary to Culligan International. The design concepts and information contained herein are submitted in confidence, and may not be disclosed, reproduced, loaned, or used in any other manner without the expressed, written consent of Culligan International.</p> | | | |
| MATERIAL Material <not specified> | SIZE B | DRAWN BY MKM | TOLERANCES, UNLESS OTHERWISE SPECIFIED LAST DIGIT TOLERANCE (inches) (millimeters) 0. ± 0.030 ± 0.76 0.0 ± 0.015 ± 0.38 0.00 ± 0.010 ± 0.25 0.000 ± 0.005 ± 0.13 ANGULAR ± 0.5° ± 0.5° |
| | SCALE 1:32 | APPROVED BY - | |
| | SHEET 1 OF 1 | APPROVED DATE - | |
| PART DESCRIPTION | PART NUMBER | | REV |
| | - | | + |





IWUS RO 100 GPM GBE
W/ANTI-SCALANT AND
FAST FUSH





IWUS RO 100 GPM
GBE W/PRE-FILTER


| REVISION DESCRIPTION | DCO# | BY | DATE |
|--|--|---------------------------|---|
| | + | - | - |
| <p>Culligan www.Culligan.com</p> <p>The 3-D file for this item is the controlling document, from which all component and feature dimensions should be referenced and held, excluding threads. The intent of this drawing is to identify critical dimensions and tolerances for inspection.</p> <p>All information contained on this document is the property of, and proprietary to Culligan International. The design concepts and information contained herein are submitted in confidence, and may not be disclosed, reproduced, loaned, or used in any other manner without the expressed, written consent of Culligan International.</p> | | | |
| MATERIAL Material <not specified> | SIZE B | DRAWN BY MKM | TOLERANCES, UNLESS OTHERWISE SPECIFIED LAST DIGIT TOLERANCE (inches) (millimeters) 0. ± 0.030 ± 0.76 0.0 ± 0.015 ± 0.38 0.00 ± 0.010 ± 0.25 0.000 ± 0.005 ± 0.13 ANGULAR ± 0.5° ± 0.5° |
| | SCALE 1:32 | APPROVED BY - | |
| | SHEET 1 OF 1 | APPROVED DATE - | |
| | PART DESCRIPTION IWUS RO 100 GPM | | |






IWUS RO 140 GPM GBE
W/ANTI-SCALANT AND
FAST FUSH




IWUS RO 140 GPM
GBE W/PRE-FILTER

| REVISION DESCRIPTION | | DCO# | BY | DATE |
|---|--------|--|----|------|
| | | + | - | - |
|  www.Culligan.com | | <p>The 3-D file for this item is the controlling document, from which all component and feature dimensions should be referenced and held, excluding threads. The intent of this drawing is to identify critical dimensions and tolerances for inspection.</p> <p>All information contained on this document is the property of, and proprietary to Culligan International. The design concepts and information contained herein are submitted in confidence, and may not be disclosed, reproduced, loaned, or used in any other manner without the expressed, written consent of Culligan International.</p> | | |
| MATERIAL | SIZE | DRAWN BY | | |
| | SCALE | APPROVED BY | | |
| | SHEET | APPROVED DATE | | |
| | B | MKM | | |
| | 1:32 | - | | |
| | 1 OF 1 | - | | |
| PART DESCRIPTION | | PART NUMBER | | REV |
| IWUS RO 140 GPM | | - | | + |


| TOLERANCES, UNLESS OTHERWISE SPECIFIED | | |
|--|----------|---------------|
| LAST DIGIT | (inches) | (millimeters) |
| 0. | ± 0.030 | ± 0.76 |
| 0.0 | ± 0.015 | ± 0.38 |
| 0.00 | ± 0.010 | ± 0.25 |
| 0.000 | ± 0.005 | ± 0.13 |
| ANGULAR | ± 0.5° | ± 0.5° |



IWUS RO 155 GPM GBE
W/ANTI-SCALANT AND
FAST FUSH



IWUS RO 155 GPM
GBE W/PRE-FILTER

| REVISION DESCRIPTION | | DCO# | BY | DATE |
|---|-------|---|--|----------------|
| | | + | - | - |
|  www.Culligan.com | | The 3-D file for this item is the controlling document, from which all component and feature dimensions should be referenced and held, excluding threads. The intent of this drawing is to identify critical dimensions and tolerances for inspection. | | |
| | | All information contained on this document is the property of, and proprietary to Culligan International. The design concepts and information contained herein are submitted in confidence, and may not be disclosed, reproduced, loaned, or used in any other manner without the expressed, written consent of Culligan International. | | |
| MATERIAL | SIZE | DRAWN BY | TOLERANCES, UNLESS OTHERWISE SPECIFIED | |
| | B | MKM | LAST DIGIT | TOLERANCE |
| | SCALE | APPROVED BY | (inches) | (millimeters) |
| | 1:32 | - | 0. | ± 0.030 ± 0.76 |
| | | | 0.0 | ± 0.015 ± 0.38 |
| | | | 0.00 | ± 0.010 ± 0.25 |
| | | | 0.000 | ± 0.005 ± 0.13 |
| | | | ANGULAR | ± 0.5° ± 0.5° |
| SHEET | | APPROVED DATE | | |
| 1 OF 1 | | - | | |
| PART DESCRIPTION | | PART NUMBER | | REV |
| IWUS RO 155 GPM | | - | | + |